

ALLIED Mfg. and Sales Co.

Material Handling Div. of Grand Specialties
4701 W. GRAND AVE. CHICAGO, ILL. 60639
RETURN POSTAGE GUARANTEED



LIFTS, MOVES, LOWERS $\frac{1}{4}$ TON!



*You
asked
for this!*

FIRST CLASS MAIL

T. Nelson, Syst. Cons.
Box 3
Schooleys Mountain, N. J. 07870

SHOP CADDY!

Lifts, Loads, Caddies

500 lb. with NO STRAIN!

Lift a quarter-ton from the floor—lower it to the floor—move it around the shop without installing expensive "I" beams!

Over a million satisfied users in shipping and stock rooms, warehouses, on trucks, farms, in rental yards, and service stations. Picks up, moves, lowers to floor . . . heavy machine parts, crates, appliances, hay bales, etc.—anything that can be moved, Shop Caddy will do it with ease. And—two shop caddies can be used to give any heavy object the mobility of "Four Wheels."

Hydraulic ram with 4-speed adjustment permits accurate lifting control—the heavier the stroke the faster the lift! Tapered nose plate slips under objects resting on the floor—even lifts them out of crates . . . and puts them on shelves!

Shop Caddy is portable . . . attaches to car or truck bumper for use anywhere. There's a model for your use—and you'll find a million uses for Shop Caddy!



HANDLING CRATES



LIFTING MACHINERY



LOADING-UNLOADING TRUCKS



CYLINDER LIFT TRUCK
Model 4036C



NEW LOAD TRANSFER WHEEL . . . MAKES SHOP CADDY EVEN MORE WORK FREE AND USEFUL

Provides load balance and greater handling ease for heavier objects—will permit you to leave a loaded Shop Caddy unattended. If you have occasion to do a lot of heavy moving, this Load Transfer Wheel will be a desired accessory for your Shop Caddy.

LOAD TRANSFER WHEEL OPTIONAL

Model 4036 & 4054 \$19.95
Model 5054 & 5054A \$29.95



10 DAY FREE TRIAL
TO RATED CONCERNS

ALL MODELS WITH 2-8" MOLD-ON
RUBBER WHEELS.

ALL LIFT HEIGHTS GIVEN ARE
FROM FLOOR (0").


SPECIFICATIONS

Cat. No.	Lift Cap'y. (lbs.)	Lift Height	Pallet Sizes	Approx. Ship Wts. (lbs.)	Price
STANDARD SHOP CADDIES					
4036	500	36"	20" x 16"	107	\$169.50
4054	500	54"	22" x 19"	122	198.50
5054	500	54"	30" x 22"	165	215.00
APPLIANCE CADDY w/ SAFETY SLING					
5054-a	500	54"	30" x 22"	180	\$226.00
HEAVY DUTY FORK LIFT CADDY					
1M54	1000	54"	15-3/16" x 26"	181	\$285.80
CYLINDER LIFT TRUCK					
4036C	500	36"	20" x 16"	137	\$231.95*

*Load Wheels Included in Above Price.



TAKE A LOAD OFF YOUR BACK LET **SHOP CADDY** DO THE HEAVY LIFTING



MODEL 1M54 HYDRAULIC SHOP CADDY

Lift up to 1000 lbs. from floor level to 54". Handy for moving heavy equipment or loading rental equipment in car trunks or onto truck beds. Shop Caddy clips easily to auto bumper for easy unloading at customers' premises. (Another rental potential.)


CONSTRUCTION

- HEAVY GAUGE STEEL WELDED CONSTRUCTION
- TWO 8" RUBBER TIRE WHEELS ON REAR
- TWO SWIVEL WHEELS IN FRONT
- FORK LIFT
- DUAL MACHINED LIFTING RAMS
- RUBBER GRIP PUSH HANDLES

ACCESSORIES: FLAT LOADING PLATFORM

DIMENSION CHART

A	B	C	D
54"	15-3/16"	26"	3 3/4"
Min. Height of Forks.....			
3 1/4"			



One person can load filled units into trucks for delivery to outlying service points, using easy-to-operate Shop Caddy.



Loaded units are trucked to remote points where food is to be served, handy Shop Caddy unloads complete unit on the job.

FEATURES:

- CAPACITY 1000 LBS.
- ELEVATES UP TO 54" HIGH
- HAND OPERATED HYDRAULIC PUMP
- 4 SPEED CONTROL ADJUSTS SPEED TO WEIGHT LOAD AND PROVIDES UP TO 400% INCREASE IN SPEED
- CAN MOVE LOAD HORIZONTALLY WITH PLATFORM AT MAXIMUM HEIGHT ON SWIVEL CASTERS. NO LOAD TRANSFER WHEEL REQUIRED.


OTHER "GRAND" PRODUCTS FOR EVERY LIFTING AND HOISTING NEED!



Model
No. J2034
Telescoping
Platform Lift



Model
No. 8080
AF-SW
Grandeluxe
Lift Stacker



Model
No. 8060
BG-LW
Grandeluxe
Lift Stacker



Model
No. 1-C
Portable
Crane



Model
No. 1000-E-J13
Bank Truck
Elevator



Model
No. 900
Automatic
Barrel Dumper

A Product of GRAND SPECIALTIES CO., Chicago, Illinois 60639



**Shop
CADDY**

THE ANSWER TO
A "THOUSAND"
LIFTING PROBLEMS

IN *Every* BUSINESS... INDUSTRY... SHOP!



ALLIED

BS hydraulic pallet trucks

2600 lbs.

4400 lbs.

STANDARD SPECIFICATIONS

Model No. 426

FORKS: 20½" W. x 42" L.

CAPACITY: 2600 LBS.

PRICE: \$265.00

Model No. 444

FORKS: 27" W. x 48" L.

CAPACITY: 4400 LBS.

PRICE: \$297.50

DISTRIBUTED BY:

ALLIED
MFG. & SALES CO.

Div. of GRAND SPECIALTIES CO.

4701 W. Grand Avenue

CHICAGO, ILLINOIS 60639

Phone: 342-0600 -01 -02 Area 312


Other Fork Lengths Available

BS pallet truck – quality in every detail...


The COMBINED DRAWBAR AND PUMP ROD is automatically kept in a vertical position by a spring-loaded pump piston, it is, therefore, never necessary to stoop for the drawbar. If during operation, you want to release the drawbar from the pump, this can be done by simply lifting the lever knob.





The BS LOWERING VALVE is foot-operated and needs no after-adjustment. The foot pedal is counter-balanced so that it returns automatically to the lifting position when released.




The BS HYDRAULIC UNIT — an efficient hydraulic unit — built to close tolerances — with the pump and lift cylinder in a single unit. Protected by POLYEURETHANE packing and a built-in oil filter. This efficient pump raises full loads with a minimum of effort.



POLYEURETHANE wheels are standard equipment on all BS Pallet trucks. Small helper wheels at the extreme end of the forks to provide easy entry into the pallets.



THE FORKS are made of special formed steel sections combining lightness with rigidity — they are strong and torsion resistant.



4400 lb. UNIT IS STANDARD with tandem rear wheels, and the 2600 lb. unit is standard with single rear wheels.

STANDARD SIZES AND CAPACITIES AVAILABLE

Fork Length	60"	48"	42"	36"
Width 27"	4400 lb.	4400 lb.	4400 lb.	
		2600 lb.	2600 lb.	
20½"		4400 lb.	4400 lb.	4400 lb.
		2600 lb.	2600 lb.	2600 lb.

GENERAL INFORMATION

Pallet opening required

Trucks with tandem rear wheels — minimum 9" opening.

Trucks with single rear wheels — minimum 7" opening.

Over-all length equals Fork length plus 14 inches.

Clearance between forks;

Trucks with overall width 27 in. — clearance is 14½ in.

Trucks with overall width 20½ in. — clearance is 8 in.

Height of Forks lowered 3¼ inches.

Height of Forks fully raised 8 inches.

Clearance under Forks when lowered 1⅜ inches.

4400 lbs. capacity BS Pallet trucks are supplied with Tandem rear wheels as standard equipment. Single wheels can be supplied at no extra charge.

2600 lbs. capacity BS Pallet trucks are supplied with single rear wheels only. Tandem wheels may be supplied at additional charge.

EXTRA EQUIPMENT

BS Pallet lift truck can be supplied at additional charge, with a moveable frame so that the truck may conveniently be used for skids as well as for Pallets.



BS

A superbly built, quality truck designed for years of trouble-free use, truly the "work-horse of the warehouse".

BS

Pallet trucks are equipped with the following as STANDARD equipment.

- Polyurethane wheels throughout.
- Tandem rear wheels on 4400 lbs. model, interchangeable with single rear wheels in the field.
- Large range of sizes and widths available at no extra cost.
- Built to fit and fully support standard double faced pallets with 6" end boards as well as single faced pallets.
- Helper wheel at the end of forks as well as tandem rear wheels for easy entry into double faced pallets, and smooth running over rough floors.
- Low lowered height to increase facility of entry into pallets.
- Overall length only 14" longer than the pallet for greater maneuverability in tight places.
- Greater safety because spring-loaded handle returns to upright position when not in use.
- All BS Pallet trucks are fully warranted for twelve months under normal use conditions — replacement parts F.O.B. distributor.

Stocked, sold and serviced by the Materials Handling Equipment Dealer in your area.

A Product of ALLIED MFG. and SALES CO. Chicago, Illinois 60639




ALLIED MANUFACTURING & SALES CO.
Div. of Grand Specialties Co.
4701 W. Grand Ave., Chicago, Ill. 60639


**NOTE: NEW
PRICE LIST**

ILLUSTRATED PRICE LIST


1. ERECT-A-LIFT



2. SKYLINER




3. COIL MANIPULATOR




4. PAPER ROLL LIFTER

1. **ERECT-A-LIFT** Model No. J-2614
Portable, assemble-on-the-job lifter.
Capacity 400 lbs. Lift height 31".
Wt. 110 lbs. \$229.00
2. **SKYLINER** Model No. 1015
Mobile, battery operated rotating platform
lift. Max. platform height 15 ft. Extension
6'6". Lowered platform height 48 in.
Less Battery \$9600.00
3. **COIL MANIPULATOR** Model No. J-2611
For attachment to fork trucks. Lift and
inverts coils up to 6,000 lbs. 10" I.D.
x 22" O.D. x 5" W. up to 36" I.D.
x 56" O.D. x 26" W. \$7920.00

4. **PAPER ROLL LIFTER**
Model No. J-2518
300 lb. capacity - 32 in. lift \$312.95



5. DUMPER



6. DUMPER
(Food Truck)



7. DUMPER
(Stationery Pan
& Box)

PRICES: The net prices listed, effective as of April 15, 1968, supersede all previous issues and quotations. Prices are subject to change without notice. We reserve the right to bill prices as they apply on the date of delivery. Our resale price suggestions are not mandatory and are merely an indication as to prices generally quoted. Minimum handling charge of \$2.50 on orders of less than \$15.00 net.

TERMS: 1% - 10th Prox. - 30 days net, F.O.B. Factory.

GUARANTEE: All Grand products are guaranteed against defective parts or workmanship, but material or merchandise cannot be returned to Factory without written authority from us.

RENTAL AND TIME PAYMENTS ALSO AVAILABLE

- Model No. J-2515
600 lb. capacity - 36 in. lift \$378.85
Model No. J-2599
300 lb. capacity - 60 in. lift \$395.45

5. **DUMPER** Model No. J-2580
Flip over barrel dumper 750 lb. capacity.
Lifts drums of paper or steel 24" diam.
32" high or 18" diam. 25" high.
Discharge height 7'6". \$1617.00

6. **DUMPER** Model No. J-2594
Food truck dumper - liquid powder, gelatin.
Capacity 750 lbs. Dumping height 86".
..... \$2558.00

7. **DUMPER** Model No. J-2510
Stationery Pan & Box dumper to handle
screws and small parts for scale weight
operation. 500 lbs. capacity. \$1276.00

ALLIED MANUFACTURING & SALES CO.
MATERIALS HANDLING DIVISION OF GRAND SPECIALTIES CO.


4701 West Grand Avenue - Chicago, Illinois 60639
Dickens 2-0600

MANUALLY OPERATED HYDRAULIC 4-SPEED VARILIFT PUMP AND RAM

This exclusive Varilift powers the Grand Shop Caddy, a rugged two-wheel hand truck capable of raising loads as heavy as 1/4 ton. Variations of this model are the Appliance Caddy and the Heavy Duty Fork Lift Caddy.

Appliance Caddy has a safety sling which ties bulky loads to the external back support. Enables one man to safely handle any major appliance.

GRAND SHOP CADDY



Catalog No.	Lift Capacity	Lift Height	Pallet Size Width-Length	Approx. Shipping Wt.	Wheels Moldon Rubber	Price
4036	500 lbs.	36" Max. 0" Min.	20"x16"	107 lbs.	2-8"	\$169.50
4054	500 lbs.	54" Max. 0" Min.	22"x19"	122 lbs.	2-8"	\$198.50
5054	500 lbs.	54" Max. 0" Min.	30"x22"	165 lbs.	2-8"	\$215.00

GRAND APPLIANCE CADDY WITH SAFETY SLING

5054-a	500 lbs.	54" Max. 0" Min.	30"x22"	180 lbs.	2-8"	\$226.00
--------	----------	---------------------	---------	----------	------	----------

HEAVY DUTY FORK LIFT CADDY

1M54	1000 lbs.	54" Max. 3 1/4" Min.	15-3/16" x 26"	181 lbs.	2-8" wheels 2-2" casters	\$285.80
------	-----------	-------------------------	----------------	----------	-----------------------------	----------


All Prices Net, F.O.B. Our Factory, subject to change without notice



NEW LOAD TRANSFER WHEEL

The new "load transfer" wheel takes the work off the operator — keeps it on the Shop Caddy. Simply lift load to correct height — indicated by "weight" on the side frame—and the shop Caddy will rest on "load transfer" wheel.

Model 4036 & 4054 \$19.95
Model 5054 & 5054A \$29.95



GRAND VARILIFT

Lifts 1/4 ton from floor.
Simple to operate, fast,
efficient, easy to maintain.

Power plant of the Shop Caddy and larger Grand Lift Stackers, the Varilift is the standard replacement for older machines. 4-speed control adjusts lifting speed to weight of load and provides up to 400% increase in speed of unloading operations.

Models	Price
1616 Varilift complete 16" travel...	\$67.65
1626 Varilift complete 26" travel...	69.80
1627 Varilift complete 27" travel...	72.00
1500-A Pump, hose and tank (no ram)...	76.50

ATTACHMENTS (For 6058 only)

RF—Standard Removable Forks 3"x22"	Price: \$10.00
Shipping weight—27 lbs.	
PF—Plate over the Forks 22"x25"	Price: \$12.00
Shipping weight—22 lbs.	
CB—Crane Boom—500 lbs. capacity, 18" reach	
88" lift height	
Shipping weight—25 lbs.	Price: \$30.00

ATTACHMENTS (All models)

RF—Removable Forks	Price: \$40.00
PF—Plate over Forks	Price: \$24.00
CB—Crane Boom—1000 lbs.	Price: \$40.00
Price includes special back plate to which attachments are applied.	

ONE MACHINE DOES MANY JOBS

Now you can make one machine do the work of a fork lift, a portable platform lift, or a crane boom. Just replace the standard forks with the platform or the boom. No need to buy three complete machines. Save time, money, and storage space.



6058-RF
\$303.60



6058-PF-RF
\$316.80



6058-CB
\$325.60

Manually Operated Lift Stackers with Hydraulic 4-Speed Varilift

Catalog No.	Lift Capacity	Lift Ht. Max.	Lift Ht. Min.	Fork Size Width & Length	Approx. Ship. Wt.	Wheels	Swivel Casters	Price
6037	750 lbs.	37"	3¾"	20" x 22"	134 lbs.	2-3¼"	2-5"	\$ 258.50
6058	750 lbs.	58"	3¾"	20" x 22"	170 lbs.	2-3¼"	2-5"	292.60
6078	750 lbs.	78"	3¾"	24" x 22"	212 lbs.	2-3¼"	2-5"	409.20
6158	1000 lbs.	58"	3¾"	20" x 22"	173 lbs.	2-3¼"	2-5"	402.05
6178	1000 lbs.	78"	3¾"	24" x 22"	215 lbs.	2-3¼"	2-5"	440.00
6258	1500 lbs.	58"	4½"	25" x 25"	500 lbs.	2-4"	2-5"	509.00
6278	1500 lbs.	78"	4½"	25" x 25"	522 lbs.	2-4"	2-5"	613.80
6358	2000 lbs.	58"	5½"	28" x 30"	550 lbs.	2-5"	2-5"	757.00
6378	2000 lbs.	78"	5½"	28" x 30"	575 lbs.	2-5"	2-5"	818.00
6058-RF	750 lbs.	58"	3¾"	20" x 22"	197 lbs.	2-3¼"	2-5"	303.60
6058-RF-CB	750 lbs.	58"	3¾"	20" x 22"	256 lbs.	2-3¼"	2-5"	338.80
6454	3000 lbs.	54"	6½"	30" x 36"	670 lbs.	2-6"	2-6"	1110.00
6478	3000 lbs.	78"	6½"	30" x 36"	726 lbs.	2-6"	2-6"	1227.00


No. 6158



Battery-Electric Hydraulic Lift with 12 Volt Battery System

7078	750 lbs.	78"	3¾"	24" x 22"	287 lbs.	2-3¼"	2-5"	\$ 677.00
7098	750 lbs.	98"	3¾"	24" x 22"	360 lbs.	2-3¼"	2-5"	819.50
7158	1000 lbs.	58"	3¾"	20" x 22"	307 lbs.	2-3¼"	2-5"	613.00
7178	1000 lbs.	78"	3¾"	24" x 22"	385 lbs.	2-3¼"	2-5"	698.00
7258	1500 lbs.	58"	4½"	25" x 25"	600 lbs.	2-4"	2-5"	775.00
7278	1500 lbs.	78"	4½"	25" x 25"	622 lbs.	2-4"	2-5"	852.50
7358	2000 lbs.	58"	5½"	28" x 30"	650 lbs.	2-5"	2-5"	992.50
7378	2000 lbs.	78"	5½"	28" x 30"	675 lbs.	2-5"	2-5"	1063.00
7454	3000 lbs.	54"	6½"	30" x 36"	772 lbs.	2-6"	2-6"	1388.00
7478	3000 lbs.	78"	6½"	30" x 36"	792 lbs.	2-6"	2-6"	1534.75

Model No. 7258
Down Position



NOTE: All Models in 7000 Series are available with 115 V. A.C. Motors for power line operation. Price: \$142.50 extra. Special motors, for example, explosion-proof, 1 H.P. 220 V.,

440 V., etc. quoted upon request. Prices subject to change without notice. All Prices Less Storage Battery.

Models 2060-2080 Manually Operated Hydraulic Lift

Model Nos. 2060-2080 have the following items as standard equipment: SW—small wheels, 4" textite roller bearing and 5" textite roller bearing swivel casters. Oil hydraulic power, manually operated 4-speed varilift pump. When equipped with CB (crane boom) capacity is 1000 lbs.


Capacity	1500 lbs.	Overall width	31 in.
Lift ht. (max.).....	60 in.	Overall length	41 in.
Lift ht. (min.).....	4¼ in.	Inside base	
Leg ht.	4¼ in.	leg length	26 in.
Overall ht.	74 in.	I.D. of legs	24 in.

Model 2080 has 80" maximum lift height—94" overall height.

LW—large wheels (6" wheels and 6" casters), add \$20.00

Model	Net Price
2060-SF	\$454.30
2060-SF-PF	473.55
2060-AF	477.40
2060-AF-CB-SW	513.70
2060-BG-LW	526.90
2080-SF	\$498.30
2080-SF-PF	517.55
2080-AF	528.55
2080-AF-CB-LW	564.85
2080-BG-LW	579.15

No. 2060
SF-SW



Models 8060-8080 Battery Electric Hydraulic Lift

Models 8060 and 8080 have the following items as standard equipment: SW small wheels, 4" textite roller bearing and 5" textite roller bearing swivel casters. Oil hydraulic power, throttle valve control, 12-volt battery system, built-in charger, removable battery and motor case.

Capacity	1500 lbs.	Overall width	31 in.
Lift ht. (max.).....	60 in.	Overall length	41 in.
Lift ht. (min.).....	4¼ in.	Inside base	
Leg ht.	4¼ in.	leg width	24 in.
Overall ht.	75 in.	Base leg length.....	26 in.
Capacity with crane boom is 1000 lbs.		Less Battery	

Model 8080 has 80" lift height—94" overall height.

LW—large wheels (6" wheels and 6" casters), add \$20.00

Use 12-volt automobile battery similar to Delco No. 25M-50 or equal.

Model	Net Price
8060-SF	\$778.25
8060-SF-PF	797.50
8060-AF	808.50
8060-AF-CB-SW	844.80
8060-BG-LW	859.10
8080-SF	\$835.45
8080-SF-PF	854.70
8080-AF	865.70
8080-AF-CB-SW	902.00
8080-BG-LW	916.30

No. 2060
SF-PF-SW



Model	Description for Models 2060-2080 and 8060-8080
SF	Standard forks 23" wide, 25½" long
SF-PF	Std. forks w/plate over forks 30" x 30"
AF	Adj. forks 8" to 24"—25½" long
AF-CB-LW	Adj. forks & crane boom w/small wheels
BG-LW	Barrel grab & large wheels

No. 8080 AF
Up Position



ATTACHMENT SYMBOLS: SF—STANDARD FORKS SF-PF—STANDARD FORKS WITH PLATE OVER THE FORKS AF—ADJUSTABLE FORKS SW—SMALL WHEELS CB—CRANE BOOM PF—PLATE OVER FORKS BG—BARREL GRAB LW—LARGE WHEELS


Larger plate furnished on request at additional cost. All Prices Net F.O.B. Our Factory subject to change without notice

ANOTHER PROFIT LIFT FROM
GRAND
SAFETY
STANDARD
OUR 40TH YEAR

PORTABLE CRANES—FOR MOVING LOADS UP TO 5000 POUNDS



No. 5-C



No. 8-C



No. 7-C



No. 1-C

SPECIFICATIONS

Number	Maximum Lifting Capacity (Pounds)	Type Lift Hyd.	Winch	Overall Height	Minimum Lift Under Hook	Maximum Lift Under Hook	Hook Reach	Width of Bed Inside	Width of Bed Outside	Overall Length of Bed	Height of Bed	Wheel Size All Roller Bearing Stationary	Swivel	Leg Ext.	Boom Ext.	Ship. Wt. Lbs.	Net Price
1-C	3,000		x	7'6"	0	6'6"	3'0"	3'0"	3'6"	5'7"	7"	6"	5"			350	\$489.60
2-C	3,000		x	9'0"	0	8'0"	3'0"	3'0"	3'6"	5'7"	7"	6"	5"			365	\$499.60
4-C	600	x		5'0" Closed	1'11"	7'11"	3'0"	2'2½"	2'8½"	3'10½"	5½"	5"	4"			190	312.40
5-CR	1,200	x		5'8" Closed	2'4"	8'6"	3'0"	2'3½"	2'11"	4'5"	7"	6"	5"			300	396.00
7-C	3,000	x	x	5'10" Closed	0	9'8" Boom Ext.	4'3" Without Ext.	3'0"	3'8"	6'8"	8½"	8"	8"	9½"	2'4"	542	768.00
8-C	5,000	x	x	5'10" Closed	0	9'2"	5'2"	3'10"	4'7"	7'11"	9"	8"	8"			857	950.00



**ALL-HYDRAULIC
TELESCOPING
PLATFORM
LIFTS**

GRAND SKY RIDE — TELESCOPIC PLATFORM LIFT					
"Sky-Ride" 25', 30' & 35' 35' 40'					
	Model #J2044		Model #J2034		
Capacity	500 #	500 #	500 #	500 #	500 #
Extended Height	25'	30'	35'	35'	40'
Overall Height Collapsed	6'8"	6'8"	6'8"	8'9"	8'9"
Overall Width	3'7½"	3'7½"	3'7½"	3'6½"	3'6½"
Overall Length	6'3½"	6'3½"	6'3½"	7'2"	7'2"
Overall Width with Outriggers	11'6"	11'6"	11'6"	12'6"	12'6"
Overall Length with Outriggers	10'3"	10'3"	10'3"	12'3"	12'3"
Platform Size	2'4½"	X	4'0"	2'4½"	X 4'0"
Number of Sections	7	7	8	6	7
Size of Wheels	2-8"	2-8"	2-8"	2-10"	2-10"
Size of Swivel Casters	2-6"	2-6"	2-6"	2-8"	2-8"
Price	\$4200.	\$4700.	\$5220.	\$4885.	\$5150.

110 V. A.C.



Model J2034, 35' & 40' "Sky Ride":
110 volt, 60 cycle line current power. Shipping wt. approx. 3030 lbs.
Optional — Electric oil hydraulic power, 12 volt battery system with charger (less battery). Shipping wt. approx. 2350 lbs.

Model J2044-25', 30' & 35' "Sky Ride":
110 volt, 60 cycle line current power. Shipping wt. approx. 3300 lbs.
Optional — (8 sections for lower overall height) 12 volt battery system with charger (less battery). Shipping wt. approx. 3200 lbs.

All Models Grounded with Third Wire

All Prices Net, F.O.B. Our Factory in Franklin Park, Illinois.

"Special" models of lower or higher lifting heights engineered to your specifications.




A GRAND NEW counter weight lift stacker and dumper

with interchangeable parts

• GRAND NEW COUNTER WEIGHT LIFT STACKER •

Only minutes to change crane-fork-platform lift

- * Special design to move "in close" to base of machine or solid stand. Eliminates need for overhead chain hoists, manually operated with a Grand four speed hydraulic Vari-Lift.
- * One unit does the work of three, with the attachments of Crane Boom, Removable forks and platform plate over the forks.
- * Requires small space for operation.



SPECIFICATIONS

Overall Height	78½"	Adjustable Forks 3" W. x 22 L.
Overall Width	21¾"	Plate over Forks 22" W. x 24" L.
Overall Length	47½"	Total Weight of Unit 240 lbs.
Crane Boom Reach	17½"	All units come with counter weight container, shipped less counter wt.
Crane Boom Weight	29¾ lbs.	Counter Weight required approx. 350 lbs. sand or scrap iron.
Adj. Forks Weight	28 lbs.	
Plate over Forks	18 lbs.	
Wheels ¾" (2)		
Casters 5" (2)		
Lifting Height with Crane Boom 86" maximum — 34" minimum		
Lifting Height with forks or plate 58" maximum — 1" minimum		

PRICE

NO. 9058-AF - 310 lbs. (Adjustable Forks)	\$416.00
NO. 9058-AF-PF - 330 lbs. (Plate over Forks)	\$428.00
NO. 9058-CB - 388 lbs. (with Crane Boom)	\$436.00
NO. 9058-CB-AF-PF (Fork-Plate-Crane Boom) (358 lbs.)	\$458.00

(Above items are with counter weight container, less counter weight material of sand or scrap iron).

*350 lbs. EXTRA counter weight material of sand or scrap iron shipped with unit at \$50.00 additional to either of above prices.

NO. 9058-AF
Adjustable forks from 7" to 20"
Lifting Height 1" to 58" — 750 lb. capacity.



NO. 9082-BS-D
750 lbs. capacity. Patented strap grab fits to varied size barrels, boxes, etc. for raising and stacking or automatic dumping. 82" overall height — dump from 24" to 63" height. \$695.00 less counterweight.



COUNTER WEIGHT LIFT STACKER
NO. 9058-CB
500 lbs. capacity
17½" reach
Lifting Height 86" Maximum
Lifting Height 34" Minimum






SPECIAL DESIGN LIFT STACKERS, DUMPERS & PORTABLE MATERIAL LIFTS

Electric-Hydraulic

Prices listed apply to specific sizes and models shown. If models do not meet your particular requirements, we will be glad to aid you in

adapting any of these to your specific operation. Any variation requires a special quotation.



MODEL
No. J975
STAINLESS
STEEL BUCKET
(No. 4)



MODEL
No. J566
POTATO
DUMPER
(No. 5)




MODEL
No. 71-Tel-100
TELESCOPIC
STACKER
(No. 3)



MODEL
No. GL-1M
COUNTER
WEIGHT UNIT
(No. 2)

MODEL
No. J1655
HAND
OPERATED
TELESCOPE
UNIT
(No. 1)



(1) MODEL No. J1655 HAND OPERATED TELESCOPE UNIT

Capacity 1000 lbs. Maximum lifting height: 96"
Lowered overall height: 70 1/2"—Minimum height: 1 1/2". Price..... \$1408.00

(2) MODEL No. GL-1M COUNTER WEIGHT UNIT

Capacity 1000 lbs.—24 in. Fork length
Capacity 600 lbs.—36 in. Fork length
Maximum lifting height: 60 in.—Minimum height: 2 in. Price..... \$1199.99

(3) MODEL No. 71-Tel-100 TELESCOPIC STACKER

Capacity 1,500 lbs. Maximum lifting height: 100 in.
Minimum height: 1 in.
Adjustable forks—length 36 in., width 30 in. Price..... \$1455.00

(4) MODEL No. J975 STAINLESS STEEL BUCKET

Capacity 600 lbs. Maximum dumping height: 56 in.
Bucket: Length 24", Height 23", Width 24". Price..... \$1950.00

(5) MODEL No. J566 POTATO DUMPER

Capacity 1,500 lbs. Maximum dumping height: 54 in., 45° angle.
To handle boxes 48"x48"x48". Price..... \$2471.00

(6) MODEL No. 1877 SELF PROPELLED DUAL LIFT STACKER AND SHELVER

Operator platform:

Capacity 250 lbs.
Max. lifting height: 86 in.
Min. lifting height: 6 in.
Platform Size: 46 in. long, 18 in. wide at center,
15 in. wide at ends.

Lifting platform:

Capacity 1000 lbs.
Max. lifting height: 110 in.
Min. lifting height: 3 3/4 in.
Platform Size: 40"x21"
Price..... \$4211.00

(7) MODEL No. 755-SB SPECIAL DUAL CONTROL LIFT STACKER

Capacity 850 lbs. Maximum lifting height: 55 in.
Minimum height: 3 1/4". Platform: 30"x36". Price..... \$1209.75

All Prices Net, F.O.B. Our Factory

Prices Subject to Change Without Notice.



MODEL
No. 1877
SELF
PROPELLED
DUAL LIFT
STACKER AND
SHELVER
(No. 6)



MODEL
No. 755-SB
SPECIAL
LIFTSTACKER
WITH DUAL
CONTROL
(No. 7)






STATIONARY & PORTABLE MATERIAL LIFTS & DUMPERS . . . ELECTRIC-HYDRAULIC

The Grand Material Lifts and Dumpers on this page are typical of a wide range of applications which are performed by Grand Hydraulic Handling Equipment. Lifting heights,

load capacities, platform sizes and all other specifications are subject to your specific needs. Write for quotations.



**MODEL
No. 973
MATERIAL
LIFT
(No. 12)**




**MODEL
No. 4000-E
MATERIAL
HANDLING
LIFT
(No. 8)**




**MODEL
No. 1000-J-13
BANK TRUCK
LIFT
(No. 9)**



**MODEL
No. 829
AUTOMATIC
TOTE PAN
DUMPER
(No. 11)**



**MODEL
No. 900
AUTOMATIC
BARREL
DUMPER
(No. 10)**



**MODEL
No. 1690
SIDEWALK
MATERIAL
LIFT
(No. 13)**

(8) MODEL No. 4000-E MATERIAL HANDLING LIFT

Capacity 4000 lbs. Maximum lifting height: 15 ft.
Minimum height: 6 in. Platform size: 36"x36". Price. \$2860.00

(9) MODEL No. 1000-E-J13 BANK TRUCK LIFT

Capacity 1000 lbs. Maximum lifting height: 9 ft. 8 in.
Minimum height: 5 in. Platform size: 33"x48". Price. \$2075.75

(10) MODEL No. 900 AUTOMATIC BARREL DUMPER

Capacity 800 lbs. Dumping height: 76 in. Loading height: 1 in.
Maximum drum size: 23"x35". Automatic stop. Price. \$1444.00

(11) MODEL No. 829 AUTOMATIC TOTE PAN DUMPER

Capacity 500 lbs. Maximum dumping height: 91 1/2 in.
Pan cradle size: 22 3/4"x15 1/2"x5 5/8". Loading height: 3 in.
Makes complete cycle automatically. Price. \$1628.00

(12) MODEL No. 973 MATERIAL LIFT

Capacity 1000 lbs. Maximum lifting height: 14 ft.
Minimum height: 0 in. Platform size: 44"x78". Price. \$2618.00

(13) MODEL No. 1690 SIDEWALK MATERIAL LIFT

Capacity 2500 lbs. Maximum lifting height: 11 ft.
Minimum height: 4 in. Platform size: 6'x7'. Price. \$3212.00

MODEL No. J438 (not illus.) PRINTERS' CUTTING MACHINE LIFT

Capacity 1800 lbs. Maximum lift height: 36 in.
Loading height: 1 in. (equipped with ramp)
Platform size: 40"x40". Price. \$1390.00

MODEL No. J409 (not illus.) BOX OR NAIL KEG DUMPER

Capacity 300 lbs. Maximum dumping height: 70 in.
Starting height (from conveyor): 21 in.
For box size: 13" wide x 28" long x 12" high
For keg size: 14" diameter x 19" high. Price. \$1778.00

All Prices Net, F.O.B. Our Factory

Prices Subject to Change Without Notice.